

10

30

95

30

10

10

65

15/1606

Comprimés pour usage oral

GLIDE[®]-M 60/850

Comprimés pour usage oral

GLIDE[®]-M 60/850

Gliclazide et Chlorhydrate de Metformine

Comprimés à libération prolongée

3 x 10 Comprimés

Comprimés pour usage oral

GLIDE[®]-M 60/850

RESPECTER LES DOSES PRESCRITES
RESPECT THE PRESCRIBED DOSAGES
LISTE I : STRICTEMENT SOUS PRESCRIPTION MEDICALE
STRICTLY UNDER PRESCRIPTION

Gliclazide and Metformin Hydrochloride

3 x 10 Tablets

Sustained Release Tablets

GLIDE[®]-M 60/850

Tablets for Oral use

Composition:
Chaque comprimé bicoche non enrobé à libération prolongée contient :
Gliclazide BP 60 mg
Chlorhydrate de metformine, BP 850 mg
Colorant : Colorant utilisé approuvé

Posologie : Selon la prescription du médecin.

Conservation : Conserver à une température inférieure à 30°C.
Protéger de la lumière et de l'humidité.
Tenir hors de portée des enfants.

Composition:
Each uncoated bilayered sustained release tablet contains:
Gliclazide BP 60 mg
Metformin hydrochloride BP 850 mg
Colour : Approved colour used

Dosage : As directed by physician.

Storage:
Store below 30°C.
Protect from light & moisture.
Keep out of reach of children.

Code No. : PON/DRUGS/21 14 4378

Batch No.

Mfg. Date

Exp. Date

Non Varnish Area
27 x 16 mm

GENERIC HEALTHCARE PVT. LTD.
29A, Shivaji Nagar, Pune-411005.
INDIA
export@ghpl.co
© Marque déposée / Trade mark

GLIDE[®]-M 60/850
Tablets for Oral use

GLIDE[®]-M 60/850
Tablets for Oral use

30

65


30

Dimension : L x W x H : 95 x 30 x 65 mm

Product Name : GLIDE-M 60/850	Item Code : 15/1606	Item : Carton	Version: 03	Co-ordinator : Vaishali				
Pack Size : 3 x 10 Tablets	Location : SAFETAB	Date : 03-09-2024	Artist: Vikas					
Colours: BLUE WOOL TEST VALUE 5-8 (LIGHT FASTENING DATA)								
Pantone 2583 C Pantone 485 C Black								
Ink: Oil Base Colours NBCL Series from SIEGWERK OR Oil based inks from DIC.	Spectro-Densitometer Delta-E reading (ΔE) for colour : NOT MORE THAN dE2.5		Softwear : CorelDraw 20					
Glossmeter reading (for white surface): NOT LESS THAN 80 %			Braille Text : Each Dot of Brille is 1.6 mm					
Actual Size: L x W x H : 95 x 30 x 65 mm		Grain Direction : Perpendicular to Crease/Perpendicular to Pasting Flap						
Material : 300 GSM ITC Cyber XL board. Overprinting area to be left unvarnished.			Style : RTI					
Varnish: U.V. Varnish		Artwork Print Size: ☒ actual ☐ scaled						
Instructions/Remark: Keep Overprint Preview on / Braille Text Embossing Present		Checked By	Artist	PMD	R.A.	Production	Q.C.	Q.A.
Instructions for Printer: ★ Avoid contamination of Benzophenone free varnish at all stages of printing activities, printing material usage, printing equipment and system etc. ★ COA should have all the details of printed label paper/ink/varnish. ● Any deviation must be brought to the notice of packaging development co-ordinator immediately. ● For any clarification, please contact packaging development co-ordinator immediately. NO CHANGES IN ARTWORK SHOULD BE DONE BY THE PRINTER The printer should verify the e-proof against the approved artwork before submitting for approval ● The printer should verify the e-proof against the approved artwork before submitting for approval and the e-proof should have printer details .		Bar Code	☐	☐	☐	☐	☐	☐
		Artwork	☒	☐	☐	☐	☐	☐
		Spell Check	☐	☐	☐	☐	☐	☐
		Name	Vikas					
		Signature						

Braille text as above Dots for Embossing Not for Printing

GLIDE-M 60/850



Product Name : GLIDE-M 60/850	Item Code : 13/0854	Item : Foil	Version: 03	Co-ordinator : Vaishali				
Pack Size : 3 x 10 Tablets	Location : SAFETAB	Date : 03-09-2024	Artist: Vikas					
Colours: BLUE WOOL TEST VALUE 5-8 (LIGHT FASTENING DATA)			Softwear : CorelDraw 20					
Blister Size : 89 X 61 mm Blister								
Foil Size: 186 ± 1 mm / Brackup : 4 + 65 + 20 + 8 + 20 + 65 + 4 / Repeat Length : 40 mm / Embossing								
Material : 0.025 mm Thickness - Aluminium Foil		Artwork Print Size: ☒ actual ☐ scaled						
● Instructions / Remark: ● Any deviation must be brought to the notice of packaging development co-ordinator immediately. ● For any clarification, please contact packaging development co-ordinator immediately. NO CHANGES IN ARTWORK SHOULD BE DONE BY THE PRINTER ● The printer should verify the e-proof against the approved artwork before submitting for approval and the e-proof should have printer details .		Checked By Bar Code Artwork Spell Check	Artist ☐ ☒ ☐	PMD ☐ ☐ ☐	R.A. ☐ ☐ ☐	Production ☐ ☐ ☐	Q.C. ☐ ☐ ☐	Q.A. ☐ ☐ ☐
Name Signature		Vikas 						